

Work Order ID 146012

Friday, May 06, 2016 8:57:21 AM

146012

Page 1

Item ID: D412-761-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Modified Latch Mechanism, LH
 Start Date: 5/19/2016 Start Qty: 1.00 ***1*** Cust Item ID:
 Required Date: 6/1/2016 Req'd Qty: 1.00 ***1*** Customer:
 Reference:

Approvals: Process Plan: em Date: 16/05/06 Tooling: Date: Run Start ***NR1***
 QC: Date: SPC (Y/N): Date: Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
IIN D412-761	E								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile & type labels per PPP D412-761-043 CHG002								
110	Pick Kit	0.00							
110									
Packaging	Memo	0.00							
Packaging									
120	QC4- 100% Inspect kits for completeness	0.00							
120									
QC	Memo	0.03							
Quality Control									

DAS
28
9-89

JUN 17 2016

JUN 20 2016

DAS
28
9-89

JUN 20 2016

DAS
28
9-89

JUN 20 2016

DAS
28
9-89

JUN 20 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
				OTHER : ☐			

Friday, May 06, 2016 8:57:21 AM

146012

D412-761-043

Start Date: 5/19/2016

Required Date: 6/1/2016

Start Qty: 1.00

Required Qty: 1.00

Comments: IPP Rev:A 09-01-13 rev.C as per dwg DD verified by:EC IPP REV:B
11.11.29 AS PER DSI9580 DD VEF:EC IPP REV:C 12.07.23
ECN12-568 chg002 DD VEF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3589-041		Manufactured	No			110	Each	0.0000	1	22			DAS 28 6 9-89
D3589-041									**	146892			
Latch Assembly	DAS 27 9-89												
D3589-047		Manufactured	No			110	Each	0.0000	1	22			DAS 28 6 9-89
D3589-047									**	146812			
Fwd Guide	DAS 27 9-89												
D3589-049		Manufactured	No			110	Each	0.0000	1	22			DAS 28 6 9-89
D3589-049									**	146906			
Aft Guide	DAS 27 9-89												
MS16997-24		Purchased	No			110	Each	15.0000	2	24			DAS 28 6 9-89
MS16997-24									**				
SCREW													
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			DAS 28 6 9-89
				ST316				15		4			
				m133316				15					
NAS1149DN632J	DAS 27 9-89	Purchased	No			110	Each	731.0000	2	24			DAS 28 6 9-89
NAS1149DN632.J									**				
Washer													
				<u>Location</u>				<u>Loc Qty</u>		<u>Loc Code</u>			DAS 28 6 9-89
				ST264				731					
				m133860				31					
				m134370				700					

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause			FAULT CATEGORY							
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date ☐	☐	Manufacturing Process	OTHER : _____							
Misidentified ☐	☐	Past Due								

Picklist Print

Page 2

Friday, May 06, 2016 8:57:21 AM

Work Order ID: 146012

146012

Parent Item: D412-761-043

D412-761-043

Parent Item Name: Modified Latch Mechanism, LH

Start Date: 5/19/2016

Required Date: 6/1/2016

Start Qty: 1.00

Required Qty: 1.00

MS21042L06

Purchased

No

110

Each

211.0000

2

24

MS21042L 06

Nut

DAS

28

9-89

DAS

6

JUN 20 2016

Location

Loc Qty

Loc Code

ST303

211

m134294

61

m134474

50

m134537

100

DAS
27
9-89

4

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : _____							

REFERENCE ONLY

DART AEROSPACE LTD.

IIN-D412-761

Page 10 of 13

6.0 PARTS LIST, FULL VERTICAL REFERENCE DOOR MOD KITS

QTY -041	QTY -041A	QTY -043	QTY -045	QTY -047	QTY -049	QTY -051	QTY -141	PART NUMBER	DESCRIPTION
								D412-761-011	FULL VERTICAL REFERENCE DOOR, LH
								D412-761-011A	FULL VERTICAL REFERENCE DOOR, LH
X								D412-761-041	FULL VERTICAL REFERENCE DOOR KIT, LH
	X							D412-761-041A	FULL VERTICAL REFERENCE DOOR KIT, LH
		X	1					D412-761-043	MODIFIED LATCH MECHANISM KIT, LH
1	1		X					D412-761-045	LARGE BUBBLE WINDOW KIT, LH
1	1			X				D412-761-047	DOOR MOUNTED INSTRUMENT PANEL KIT, LH
1					X			D412-761-049	ARMREST KIT, LH
	1					X		D412-761-051	ARMREST KIT, LH
							X	D412-761-141	VENT KIT
		1						D3589-041	LATCH ASSEMBLY
		1						D3589-047	FORWARD GUIDE
		1						D3589-049	AFT GUIDE
		2						MS16997-24	SCREW
		2						MS21042L06	NUT
		2						NAS1149DN632J	WASHER (OR AN960JD6L)
			1					D3676-1	LARGE BUBBLE WINDOW
			1					D3678-1	PLACARD
			1					D3678-3	PLACARD
			1					D3700-1	INBOARD WINDOW DOUBLER
			1					D3700-3	OUTBOARD WINDOW DOUBLER
			1					D3701-1	FLOOR DOUBLER
			1					D3702-1	FORWARD DOUBLER
			1					D3703-1	AFT DOUBLER
			1					D3703-3	AFT CORNER DOUBLER
			1					D3703-5	AFT CAP
			1					D3704-1	ESCUTCHEON
			1					D3704-3	ESCUTCHEON
			1					D3708-1	ANGLE
			1					D3708-3	ANGLE
			1					D3709-1	ANGLE
			1					D3709-3	ANGLE
			1					D3802-1-135	SEAL
			1					DT9458	CUTTING TEMPLATE
			26					AN3-7A	BOLT
			26					MS21042L3	NUT
			1					MS24694-C5	SCREW (OR MS24694-S5)
			1					MS24694-C13	SCREW (OR MS24694-S13)
			1					NAS43DD3-24	SPACER
			52					NAS1149D0363J	WASHER (OR AN960JD10)

(CONTINUED ON PAGE 11)

• COPYRIGHT © 2008 BY DART AEROSPACE LTD •
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

Revision: E

Date: 12.12.07